

HERBICIDE RESTRICTIONS FOR PLANTING ALFALFA

COMMON CORN AND SOYBEAN HERBICIDE RESTRICTIONS FOR PLANTING ALFALFA	
HERBICIDE	ALFALFA ROTATION INTERVAL (MONTHS AFTER APPLICATION)
AAtrex® 4L or Nine-O	2 Cropping Seasons
Accent® Q	10 to 12
Acuron®	18
Agent®	18
Aim® EC	12
Alluvex™	18
Anthem™ ATZ	18
Atrazine	2 Cropping Seasons
Authority® Brands	12 to 18
Autumn™ Super 51	18
Axiom®	12
Basis® Blend	10 to 18
Bicep Lite II Magnum®	2 Cropping Seasons
Breakfree® NXT ATZ/Lite	15
BroadAxe® XC/Spartan® Elite	12
Canopy®/Canopy® Blend	10 to 18
Capreno®	18 to 24
Charger MAX® ATZ/Lite	2 Cropping Seasons
Classic®	12
Cleanse®	18
Command® 3ME	16
Confidence® Xtra/5.6L	2 Cropping Seasons
Corvus®	17-24
Degree® Xtra	2 Cropping Seasons
Direx® 4L	24
Enlite®	12
Fierce® XLT	18

ALWAYS READ AND FOLLOW HERBICIDE LABEL ON PREVIOUS CROPS, TO DETERMINE HERBIFAILURE TO FOLLOW RESIDUAL RESTRICTIONS WILL RESULT IN POOR STAND ESTABLISHMENT.

ALL TRADEMARKS ARE PROPERTY OF THEIR RESPECTIVE OWNERS.

COMMON CORN AND SOYBEAN HERBICIDE RESTRICTIONS FOR PLANTING ALFALFA

HERBICIDE	ALFALFA ROTATION INTERVAL (MONTHS AFTER APPLICATION)
Flexstar [®] /Reflex	18
FulTime [®] NXT	2 Cropping Seasons
Halex [®] GT	10
Harness [®] Xtra	2 Cropping Seasons
Hornet [®] WDG	10.5
Karmex [®]	24
Keystone [®] NXT	2 cropping seasons
Leadoff [®]	10 to 18
Lexar [®] EZ	18
Lumax [®] EZ	18
Marvel [™]	18
Peak [®]	22
Prefix [®]	18
Princep [®] /Simazine	2 Cropping Seasons
Prowl [®] H2O	Next cropping season to 20
Realm [®] Q	10 to 18
Resicore [®]	10.5
Rowel [®] (6 oz)	12 to 18
Scepter [®]	18
Simazine 4L	2 Cropping Seasons
Sonic [®]	12
Spartan [®]	12
Spirit [®]	18
Steadfast [®] Q	10 to 18
Synchrony [®] XP 9	9 to 12
Tremor [®] ATZ Lite NXT/ATZ/NXT	2 Cropping Seasons
Valor [®] XLT	12 to 18
Warrant [®] Ultra	18

ALWAYS READ AND FOLLOW HERBICIDE LABEL ON PREVIOUS CROPS, TO DETERMINE HERBIFAILURE TO FOLLOW RESIDUAL RESTRICTIONS WILL RESULT IN POOR STAND ESTABLISHMENT.

ALL TRADEMARKS ARE PROPERTY OF THEIR RESPECTIVE OWNERS.



COMMON WHEAT AND SMALL GRAIN HERBICIDE RESTRICTIONS FOR PLANTING ALFALFA

HERBICIDE	ALFALFA ROTATION INTERVAL (MONTHS AFTER APPLICATIONS)
2,4-D	1.5
Affinity [®] BroadSpec	1.5
Brox [®] 2EC/Moxy [®] 2E	1
Callisto [®]	10
Dicamba	4
Harmony [®] Extra SG	1.5
Huskie [®] At Least	At least 4
Huskie [®] Complete	At least 9
Orion [®]	9
Starane [®]	4
Stinger [®]	10.5
Talinor [®]	9
Wolverine [®] Advanced	4

ALWAYS READ AND FOLLOW HERBICIDE LABEL ON PREVIOUS CROPS, TO DETERMINE HERBIFAILURE TO FOLLOW RESIDUAL RESTRICTIONS WILL RESULT IN POOR STAND ESTABLISHMENT.

ALL TRADEMARKS ARE PROPERTY OF THEIR RESPECTIVE OWNERS.