



BLEND OF MODIFIED VEGETABLE OIL CONCENTRATE AND A SILICONE SURFACTANT

PRINCIPAL FUNCTIONING AGENTS:	% BY WT.	
Ethylated seed oil, Polyether-Polymethylsiloxane-Copolymer, and Polyoxyalkylene fatty ester	100%	
Surfactant Content 40%		
CA Reg. No. 2935-50203	WA Reg. No. 2935-15004	

ECO ADVANTAGE™ Product

ECO ADVANTAGE is an exceptional product line developed to meet the standards of an ecologically-friendly platform. ECO ADVANTAGE products are NPE-Free, designed for use in both terrestrial and aquatic applications, deliver solid product performance and possess increased user safety and handling qualities.

KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS

Do not ingest. Avoid contact with skin and eyes. Avoid breathing mist or spray. Wash hands with soap and water after handling.

FIRST AID		
If inhaled:	 Move to fresh air Call a physician if symptoms develop or persist	
If on skin:	 Wash off with soap and water Get medical attention if irritation develops and persists 	
If in eyes:	Rinse with water Get medical attention if irritation develops and persists	
If swallowed:	Rinse mouth Get medical attention if symptoms occur	

Have the product container with you when calling a poison control center or doctor, or going for treatment. You may also contact the following EMERGENCY TELEPHONE NUMBERS:

(800) 424-9300 CHEMTREC (transportation and spills)

(800) 222-1222 POISON CONTROL CENTER (human health)

(888) 426-4435 ASPCA (animal health).

GENERAL INFORMATION

SYL-TAC-EATM is a proprietary blend of a highly effective organosilicone surfactant and modified vegetable oil concentrate. Spray solutions mixed with SYL-TAC-EA provide excellent spreading, wetting and penetration on the leaf surface. SYL-TAC-EA may be used in concentrate and dilute applications by air or ground (including backpack) and may be used in chemigation applications. SYL-TAC-EA has demonstrated exceptional herbicide enhancement on both broadleaf and grass weed species.

Exercise care when applying SYL-TAC-EA with post-emergence herbicides on sensitive crops during periods of drought stress, high temperatures, and high humidity. Spray adjuvants, when added to a pesticide or pesticide tank mix, may cause phytotoxicity to sensitive crops or plants. Caution should be used when applying SYL-TAC-EA. Before making a full-scale treatment, begin by treating a small area to determine if there may be adverse effects on the crop or plant.

DIRECTIONS FOR USE

Prior to use, read all directions on this label and on the label of the respective pesticide being used. The pesticide manufacturer's label, for specific usage and restrictions, has precedence over directions for use referred to on this label. To ensure thorough mixing, it is suggested that you recirculate mini tanks and bulk tanks or shake containers before using.

Fill tank one-half full of water. Add the required amount of pesticide while agitating. Add remainder of the water. Add the recommended amount of SYL-TAC-EA last and continue agitation until completion of spraying.

Note: Selective herbicides: SYL-TAC-EA may increase the response of selective herbicides. The user or applicator should evaluate this response prior to widespread usage.

Nonselective herbicides: SYL-TAC-EA enhances the efficacy of nonselective herbicides on most broadleaf, brush weed species and some annual grasses. Care should be taken to avoid contact of spray solution to crops.

USE RATES

WETTING/SPREADING/PENETRATION: For general wetting, spreading and penetration use 4 fl. oz./acre. For spray volumes greater than 30 gallons per acre, use SYL-TAC-EA at a minimum of 0.1% volume/volume.

For pesticides that permit use of an adjuvant at a higher rate, follow instructions on that pesticide label. HOWEVER, DO NOT ADD THIS PRODUCT AT A RATE WHICH EXCEEDS 5% OF THE FINISHED SPRAY VOLUME.

AQUATICS: SYL-TAC-EA may be used as an additive with aquatically labeled pesticides. The use rate for SYL-TAC-EA should follow the recommended adjuvant rate that is specified on the pesticide label.

BACKPACK OR HAND HELD SPRAYERS: Use 1-3 teaspoons per gallon of spray solution.

USE RESTRICTIONS

Do not apply on Golf Tees and Greens.

When mixing with 2 or more pesticides, do not exceed 16 ounces per 100 gallons of spray solution when applying in cover sprays to sensitive crops such as leafy vegetables, soft-skinned fruit, strawberries, nut crops in bloom, grapes or ornamental crops.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PRODUCT STORAGE: Store in original container only and keep container tightly sealed. Do not allow water to be introduced to the contents of this container. Store in closed storage areas. Do not store near heat or open flame.

PRODUCT DISPOSAL: Dispose of contents in accordance with local, regional and national regulations. To avoid waste, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program.

CONTAINER HANDLING: Triple rinse (or equivalent), then offer for recycling or reconditioning. Recycling cleaned containers is the best option of container disposal. ACRC (Agricultural Container Recycling Council) operates a national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at www.acrecycle.org. Alternatively, puncture and dispose of the container in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances. If burned, stay out of smoke. Burning is not a legal method of container disposal in Washington State.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

ALL STATEMENTS MADE HEREIN ARE SUBJECT TO APPLICABLE LAW, AND TO THE EXTENT THERE IS ANY INCONSISTENCY OR CONTENTION, APPLICABLE LAW SHALL GOVERN.

The Directions for Use of the product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS", AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE BEYOND WHAT IS STATED ON THE LABEL. Buyer and User accept all risks arising from any use of this product, including without limitation, uses contrary to label instructions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer.

Neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted, unless otherwise required by the law of the state of purchase, in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

WILBUR-ELLIS® logo and Ideas to Grow Wtih® are registered trademarks of Wilbur-Ellis Company LLC. ADJUVANTS Tri-DropletTM logo and SYL-TAC-EATM are trademarks of Wilbur-Ellis Company LLC.

F-071916

In Case of Emergency, Call CHEMTREC: (800) 424-9300

WILBUR-ELLIS COMPANY LLC P.O. BOX 16458, FRESNO CALIFORNIA 93755 (559) 442-1220

NET CONTENTS:	GALLON(S
	- · · · · · · · · · · · · · · · · ·	_